

---

## XML TVFX Banner Rotator + 7 transitions effects

---

### Features:

- XML driven - you don't need Flash to edit it
- optionally caption for each item with HEAD and DESCRIPTION - with font support for GERMAN, RUSSIAN , POLISH, ITALIAN and FRENCH special chars
- unlimited items
- supports images (JPG/PNG/GIF) and SWF files
- optionally random transition mode
- 7 ready transition presets to use
- custom pause time for each item
- custom opening URL for each item (or no url given)
- it's based on my TV FX class available also at Activeden - <http://activeden.net/item/tvfx-class-8-effects-as2-as3/58360>

### Transition effects:

You can set one of transition effect to given slide or set RANDOM MODE. In RANDOM MODE transition will be randomly chosen for each item.

List of available effects:

- FX1 – blinking
- FX2 – noise
- FX3 – blinking + noise in “ADD” blend mode
- FX4 - blinking + noise + distort
- FX5 – channel transform
- FX6 – wobble + noise
- FX7 – wobble + noise + distort

### Required HTML banner config setup:

Set path to your XML configuration file in HTML document with FlashVars:

```
flashvars.xmlFile = "xml/config.xml";
```

## XML config file:

```
<config
  hidePreloader="no"
  forceAllEffectsToRandom="no"
  globalEffect="fx1"
  globalPause="5"
  globalCaptionBgColor="#FFFFFF"
  globalCaptionBgAlpha="1"
  globalCaptionHeadColor="#000000"
  globalCaptionTextColor="#ffcc00"
/>
```

- **hidePreloader**: yes/no - hides preloader
- **forceAllEffectsToRandom**: yes/no - transition will be randomly chosen for each item
- **globalEffect**: name of global effect to use (name from "fx1" to "fx7")
- **globalPause**: global time pause value between slides (in seconds), default: 5
- **globalCaptionBgColor**: global CAPTION background color (color format: #xxxxxx)
- **globalCaptionBgAlpha**: global CAPTION background alpha value (value range: 0 to 1)
- **globalCaptionHeadColor**: global CAPTION HEAD text color (color format: #xxxxxx)
- **globalCaptionTextColor**: global CAPTION SMALL TEXT text color (color format: #xxxxxx)

## XML config file – single item:

```
<item forceEffect="fx4" forcePause="8">

  <file>image.jpg</file>
  <link window="_blank">http://activeden.net </link>

  <caption forceBgColor="#000000" forceBgAlpha="1">

    <head forceTextColor="#ffffff">Banner Rotator</head>
    <text forceTextColor="#dadada">Small text</text>
  </caption>

</item>
```

- **<item forceEffect="fx1">** - overwrites global effect (name from "fx1" to "fx7")
- **<item forcePause="8">** - overwrites global pause effect (value in seconds)
- **<file></file>** - path to IMAGE or SWF file
- **<link window="\_blank"></link>** - opening URL for slide
- **<caption forceBgColor="#xxxxxx">** - overwrite global caption BACKGROUND color
- **<caption forceBgAlpha="1">** - overwrite global caption ALPHA BACKGROUND value
- **<head forceTextColor="#xxxxxx"></head>** - HEAD text, "forceTextColor" overwrites global text color
- **<text forceTextColor="#xxxxxx"></text>** - SMALL text, "forceTextColor" overwrites global text color

You can use HTML in descriptions (eg. **<font size="">** to play with FONT SIZE, **<u>** for underline)

Multiline texts supported - use ENTER or **<br>** tag to break lines

---

Check our other flash items on: <http://activeden.net/user/Chamboow>

**Good Luck using the file in your projects!**